

POISON
KEEP OUT REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

ALL-MITEYTM
290 SL INSECTICIDE

ACTIVE CONSTITUENT: 290 g/L OMETHOATE
(an anticholinesterase compound)

GROUP	1B	INSECTICIDE
-------	-----------	-------------

For control of redlegged earth mite, blue oat mite and lucerne flea on pastures, cereals, oilseed and legume crops, and bluegreen aphid and cowpea aphid on pasture legumes, lucerne, faba beans and vetch.

CONTENTS: 5/10/20 Litre

ALLFIRE ENTERPRISES PTY. LTD
1/61 DOWD ST
WELSHPOOL, WA, 6106
PH: 08 92585755 FX 08 92585766
ACN 097 970 280

TM Allfire Enterprises Pty Ltd

DIRECTIONS FOR USE

CROP	PEST	RATE	CRITICAL COMMENTS
Pastures, Cereals, Oilseed and legume crops	Redlegged earth mite (Not Qld)	100 mL/ha	AUTUMN/WINTER: Spray 2-5 weeks after opening rains when mites have hatched to prevent seedling damage or loss. All-Mitey is rain fast within 1 hour of spraying. Residual control is less on 1-2 true leaf plants. All-Mitey should be mixed with minimum tillage or direct drill sprays to kill existing mite populations. SPRING: Spray mite infested pastures and legumes to prevent damage, yield loss and to reduce infestation pressure in the following autumn. All-Mitey may be added to pasture herbicides.
	Blue oat mite (Qld, NSW only)		
	Lucerne flea (Not Qld)		Spray on appearance and before damage occurs. If second hatching occurs a follow up spray may be required.
	Pasture Mite (Bryobia mite) (NSW only)	120 mL /ha	Spray on appearance and before damage occurs.
Pasture legumes, Lucerne, Faba bean, Vetch	Bluegreen aphid	100 or 200 mL/ha	Spray when aphids start to build up. Use the higher rate when faster knockdown is required.
	Cowpea aphid	200 mL/ha	Spray when aphids start to build up.
Pasture	Spotted clover aphid	100 mL/ha	Apply at first sign of aphid activity.
Barrier spraying	Redlegged earth mite (NSW, WA only)	300 mL/ha	To prevent invasion, spray bare earth outside crop as well as weeds along the fenceline using a offset jet. Note: Rain will reduce the efficacy of the bare earth treatment but leave an effective barrier on the weeds.
Poppy	Redlegged earth mite (Tas only)	100 mL/ha	Spray on appearance and before damage occurs.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 1 DAY AFTER APPLICATION

GENERAL INSTRUCTIONS**Insecticide Resistance Warning**

GROUP	1B	INSECTICIDE
--------------	-----------	--------------------

For insecticide resistance management, All-Mitey is a Group 1B insecticide.

Some naturally occurring insect biotypes resistant to All-Mitey 290 SL Fungicide and other Group 1B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if these insecticides are used repeatedly. The effectiveness of All-Mitey on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, Allfire Enterprises Pty Ltd accepts no liability for any losses that may result from the failure of Allfire Force Fungicide to control resistant insects.

All-Mitey may be subject to specific resistance management strategies. For further information contact your local supplier, Allfire Enterprises representative or local agricultural department agronomist.

Mixing

Mix the required quantity of All-Mitey in sufficient water to give even coverage. Boom sprayers and aircraft are satisfactory for spraying All-Mitey.

Compatibility

Compatible with most commonly used herbicides from direct drilling and minimum tillage to pasture topping. Ensure that All-Mitey is thoroughly mixed in the spray tank before adding a herbicide. Do not mix concentrates together but add each to the spray tank separately. As formulations of other manufacturer's products are beyond the control of Allfire Enterprises Pty Ltd, all mixtures should be tested prior to the mixing commercial quantities. As changes in climatic conditions can alter the sensitivity of plants to mixtures of spray's, Allfire Enterprises cannot be responsible for the behaviour of such mixtures.

PROTECTION OF LIVESTOCK

DANGEROUS TO BEES. DO NOT SPRAY ANY PLANTS IN FLOWER WHILE BEES ARE FORAGING.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling break, crush, or puncture and bury containers at a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Product and spray are poisonous if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes. Repeated exposure may cause allergic disorders. Repeated minor exposure may have a cumulative poisoning effect. Obtain an emergency supply of atropine tablets 0.6mg. Avoid contact with eyes and skin. Do not inhale spray mist. When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and face shield and impervious footwear. If clothing becomes contaminated with product remove clothing immediately. If product on skin, immediately wash area with soap and water

If product in eyes, wash out immediately with water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.

FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (Phone 131126) or a Doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

Material Safety Data Sheet

For further information refer to the Material Safety Data Sheet which is available from the supplier.

NOTICE TO BUYER

Allfire Enterprises Pty. Ltd. will not be held liable for any loss, injury or damage, indirect or consequential, arising from the sale, supply, use or application of this product. The product is not to be used for any purpose or in any way contrary to label instructions.

APVMA Approval No: 59576/

Batch No:

Date of Manufacture:

[TOXIC 6]
[SYMBOL]

[FLAMMABLE]
[LIQUID]
[SYMBOL]

ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE (contains omethoate, 1-methoxy-2-propyl acetate)		
UN 3017	PG III	HAZCHEM 3W
In case of emergency: Phone 000 Police or Fire Brigade or the supplier on 08 92585755.		